

BigFix Patch
Version 9.5.14

*Software Product Compatibility
Reports
Detailed System Requirements*

Contents

Included in this report

Operating systems

Hypervisors

Prerequisites

Supported software

Hardware

Packaging list (No packaging list specified for this product)

Glossary

Disclaimers

Included in this report

This report can be generated with filters applied to operating system platforms, components, and/or software capabilities. This section reflects how the report was filtered when it was generated.

Legend

- The information about this item is included in this report.
 - The information about this item is not included in the report filter.
-

Platforms

- AIX
- Linux
- Mac OS
- Solaris
- Windows

Component list

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Capabilities

Prerequisites

- Databases

Related Software

- Databases
- Identity Management
- LDAP Servers
- Virtualization Management
- Web Browsers

Operating Systems

The Operating systems section specifies the operating systems that BigFix Patch 9.5.14 supports, organized by operating system family.

Operating system families



[AIX](#) [Linux](#) [Mac OS](#) [Solaris](#) [Windows](#)

Component support

- Full
- Partial
- None

AIX

Summary




Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components  	Notes?
AIX 6.1	TL4	POWER System - Big Endian	64-Exploit	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	Yes
AIX 7.1	Base	POWER System - Big Endian	64-Exploit	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	Yes
AIX 7.2	Base	POWER System - Big Endian	64-Exploit	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	Yes

AIX 6.1 POWER System - Big Endian



Legend:  Supported  Not supported

Component



Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	TL1	TL2	TL3	TL4	TL5	TL6	TL7	TL8	TL9	↗
Agent or client	BigFix Agent	64-Exploit					 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	
	BigFix Relay	64-Exploit											

AIX 7.1 POWER System - Big Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future

Deployment unit	Component	Bitness	Base	TL1	TL2	TL3	TL4	TL5	
Agent or client	BigFix Agent	64-Exploit	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	
	BigFix Relay	64-Exploit							

AIX 7.2 POWER System - Big Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	TL1	TL2	TL3	↗
Agent or client	BigFix Agent	64-Exploit	 (1)	 (1)	 (1)	 (1)	
	BigFix Relay	64-Exploit					

AIX Notes

1. BigFix supports the following Power processors: AIX Version Power Edition Power Mode AIX 6.1 TL7 Power 7 Power 6 / Power 6+ Power 8 Power 6 / Power 6+ AIX 7.1 Power 7 Power 6 / Power 6+ AIX 7.1 TI3 Power 7 Power 6 / Power 6+ Power 8 Power 6 / Power 6+ AIX 7.2 Power 7 Power 7 Power 8 Power 8 Power 9 Power 9.

Linux

Summary

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
CentOS 5.3	Base	x86-32	32	9.5.0		No
CentOS 6.0	Base	x86-32	32	9.5.0		Yes
CentOS 5.3	Base	x86-64	64-Exploit	9.5.0		No
CentOS 6.0	Base	x86-64	64-Exploit	9.5.0		Yes
CentOS 7	Base	x86-64	64-Exploit	9.5.0		Yes
CentOS 8	Base	x86-64	64-Exploit	9.5.14		Yes
Debian 7.0	Base	x86-32	32	9.5.0		No
Debian 8.0	Base	x86-32	32	9.5.0		No
Debian 9.0	Base	x86-32	32	9.5.7		No
Debian 7.0	Base	x86-64	64-Exploit	9.5.0		No
Debian 8.0	Base	x86-64	64-Exploit	9.5.0		No
Debian 9.0	Base	x86-64	64-Exploit	9.5.7		No
Oracle Enterprise Linux 6.7	Base	x86-32	32	9.5.2		Yes
Oracle Enterprise Linux 6	Base	x86-64	64-Exploit	9.5.2		Yes
Oracle Enterprise Linux 6.7	Base	x86-64	64-Exploit	9.5.2		Yes

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components 	Notes?
Oracle Enterprise Linux 7	Base	x86-64	64-Exploit	9.5.0		Yes
Oracle Enterprise Linux 7.1	Base	x86-64	64-Exploit	9.5.0		Yes
Oracle Enterprise Linux 7.2	Base	x86-64	64-Exploit	9.5.0		Yes
Raspbian 9 (Stretch)	Base	ARM	32	9.5.13		Yes
Red Hat Enterprise Linux (RHEL) 5 Advanced Patch	Base	IBM z Systems	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) 5 Advanced Patch	5.5	POWER System - Big Endian	64-Exploit	9.5.0		No
Red Hat Enterprise Linux (RHEL) 5 Advanced Patch	Base	x86-32	32	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) 5 Advanced Patch	Base	x86-64	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) 5 Server	Base	x86-32	32	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) 5 Server	Base	x86-64	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) Server 6	Base	IBM z Systems	64-Exploit	9.5.0		No
Red Hat Enterprise Linux (RHEL) Server 7	Base	IBM z Systems	64-Exploit	9.5.0		No
Red Hat Enterprise Linux (RHEL) Server 6	Base	POWER System - Big Endian	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) Server 7	Base	POWER System - Big Endian	64-Exploit	9.5.0		Yes

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Red Hat Enterprise Linux (RHEL) Server 7	7.1	POWER System - Little Endian	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) Server 6	Base	x86-32	32	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) Server 6	Varies	x86-64	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) Server 7	Base	x86-64	64-Exploit	9.5.0		Yes
Red Hat Enterprise Linux (RHEL) Server 8	Base	x86-64	64-Exploit	9.5.14		Yes
SUSE Linux Enterprise Server (SLES) 10	Base	IBM z Systems	64-Exploit	9.5.0		Yes
SUSE Linux Enterprise Server (SLES) 11	Base	IBM z Systems	64-Exploit	9.5.0		No
SUSE Linux Enterprise Server (SLES) 12	Base	IBM z Systems	64-Exploit	9.5.0		No
SUSE Linux Enterprise Server (SLES) 10	Base	POWER System - Big Endian	64-Exploit	9.5.0		Yes
SUSE Linux Enterprise Server (SLES) 11	Base	POWER System - Big Endian	64-Exploit	9.5.0		Yes
SUSE Linux Enterprise Server (SLES) 12	Base	POWER System - Little Endian	64-Exploit	9.5.3		Yes
SUSE Linux Enterprise Server (SLES) 15	Base	POWER System - Little Endian	64-Exploit	9.5.14		Yes
SUSE Linux Enterprise Server (SLES) 10	Base	x86-32	32	9.5.0		Yes
SUSE Linux Enterprise Server (SLES) 11	Base	x86-32	32	9.5.0		No
SUSE Linux Enterprise Server (SLES) 10	Base	x86-64	64-Exploit	9.5.0		Yes




Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
SUSE Linux Enterprise Server (SLES) 11	Base	x86-64	64-Exploit	9.5.0		No
SUSE Linux Enterprise Server (SLES) 12	Base	x86-64	64-Exploit	9.5.0		No
SUSE Linux Enterprise Server (SLES) 15	Base	x86-64	64-Exploit	9.5.13		No
Ubuntu 16.04 LTS	Base	POWER System - Little Endian	64-Exploit	9.5.3		Yes
Ubuntu 12.04 LTS	Base	x86-32	32	9.5.0		No
Ubuntu 16.04 LTS	Base	x86-32	32	9.5.2		No
Ubuntu 18.04 LTS	Base	x86-32	32	9.5.9		No
Ubuntu 12.04 LTS	Base	x86-64	64-Exploit	9.5.0		No
Ubuntu 14.04 LTS	Base	x86-64	64-Exploit	9.5.0		No
Ubuntu 16.04 LTS	Base	x86-64	64-Exploit	9.5.2		No
Ubuntu 18.04 LTS	Base	x86-64	64-Exploit	9.5.9		No

CentOS 5.3 x86-32



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

CentOS 6.0 x86-32



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	32	 (7)	
	BigFix Relay	32	 (7)	

CentOS 5.3 x86-64



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	64-Exploit		
	BigFix Relay	64-Exploit		

CentOS 6.0 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	64-Exploit	 (7)	
	BigFix Relay	64-Exploit	 (7)	

CentOS 7 x86-64



Legend:  Supported  Not supported

Component




Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	64-Exploit	 (7)	
	BigFix Relay	64-Exploit	 (7)	

CentOS 8 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (7)	

Debian 7.0 x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Debian 8.0 x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Debian 9.0 x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	32		

Debian 7.0 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit		

Debian 8.0 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit		

Debian 9.0 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit		

Oracle Enterprise Linux 6.7 x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32	 (1)	

Oracle Enterprise Linux 6 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (1)	

Oracle Enterprise Linux 6.7 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (1)	

Oracle Enterprise Linux 7 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (1)	

Oracle Enterprise Linux 7.1 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (1)	

Oracle Enterprise Linux 7.2 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (1)	

Raspbian 9 (Stretch) ARM



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32	 (3)	

Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	↗
Agent or client	BigFix Agent	64-Exploit	 (8)												

Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	↗
Agent or client	BigFix Agent	64-Exploit													

Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	...>
Agent or client	BigFix Agent	32	 (8)												
	BigFix Relay	32	 (8)												

Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	↗
Agent or client	BigFix Agent	64-Exploit	(8)												
	BigFix Relay	64-Exploit	(8)												

Red Hat Enterprise Linux (RHEL) 5 Server x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	↗
Agent or client	BigFix Agent	32	 (8)												
	BigFix Relay	32	 (8)												

Red Hat Enterprise Linux (RHEL) 5 Server x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	5.10	5.11	↗
Agent or client	BigFix Agent	64-Exploit	(8)												
	BigFix Relay	64-Exploit	(8)												

Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	6.1	6.2	6.3	6.4	6.5	6.6	6.7	6.8	6.9	6.10	...>
Agent or client	BigFix Agent	64-Exploit												

Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	7.1	7.2	7.3	7.4	7.5	7.6	7.7	↗
Agent or client	BigFix Agent	64-Exploit									

Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	6.1	6.2	6.3	6.4	6.5	6.6	6.7	6.8	6.9	6.10	...
Agent or client	BigFix Agent	64-Exploit	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	

Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	7.1	7.2	7.3	7.4	7.5	7.6	7.7	↗
Agent or client	BigFix Agent	64-Exploit	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	

Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian



Legend:  Supported  Not supported

Component









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	7.1	7.2	7.3	7.4	7.5	7.6	7.7	↗
Agent or client	BigFix Agent	64-Exploit		 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	

Red Hat Enterprise Linux (RHEL) Server 6 x86-32

Legend: Supported Not supported

Component

Server

BigFix Console

BigFix Server

BigFix WebUI Service

Agent or client

BigFix Agent

BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	6.1	6.2	6.3	6.4	6.5	6.6	6.7	6.8	6.9	6.10	...
Agent or client	BigFix Agent	32												
	BigFix Relay	32	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	

Red Hat Enterprise Linux (RHEL) Server 6 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	6.1	6.2	6.3	6.4	6.5	6.6	6.7	6.8	6.9	6.10	...
Server	BigFix Server	64-Exploit							 (5)	 (5)	 (5)	 (5)	 (5)	
	BigFix WebUI Service	64-Exploit												
Agent or client	BigFix Agent	64-Exploit	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	
	BigFix Relay	64-Exploit	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	

Red Hat Enterprise Linux (RHEL) Server 7 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	7.1	7.2	7.3	7.4	7.5	7.6	7.7	↗
Server	BigFix Server	64-Exploit									
	BigFix WebUI Service	64-Exploit									
Agent or client	BigFix Agent	64-Exploit	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	
	BigFix Relay	64-Exploit	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	 (7)	

Red Hat Enterprise Linux (RHEL) Server 8 x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	7.1	7.2	7.3	7.4	7.5	7.6	7.7	8.0	↗
Agent or client	BigFix Agent	64-Exploit		 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)	 (6)

SUSE Linux Enterprise Server (SLES) 10 IBM z Systems



Legend:  Supported  Not supported

Component


Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	64-Exploit	 (8)	 (8)	 (8)	 (8)	 (8)	

SUSE Linux Enterprise Server (SLES) 11 IBM z Systems

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	64-Exploit						

SUSE Linux Enterprise Server (SLES) 12 IBM z Systems



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	↗
Agent or client	BigFix Agent	64-Exploit						

SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	64-Exploit	 (4)(8)	 (4)(8)	 (4)(8)	 (4)(8)	 (4)(8)	

SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	64-Exploit	 (4)	 (4)	 (4)	 (4)	 (4)	

SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	64-Exploit	 (4)	 (4)	 (4)	 (4)	 (4)	

SUSE Linux Enterprise Server (SLES) 15 POWER System - Little Endian



Legend:  Supported  Not supported

Component




Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	SP1	↗
Agent or client	BigFix Agent	64-Exploit	 (4)		

SUSE Linux Enterprise Server (SLES) 10 x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	32	 (8)	 (8)	 (8)	 (8)	 (8)	

SUSE Linux Enterprise Server (SLES) 11 x86-32



Legend:  Supported  Not supported

Component










Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	↗
Agent or client	BigFix Agent	32						
	BigFix Relay	32						

SUSE Linux Enterprise Server (SLES) 10 x86-64



Legend:  Supported  Not supported

Component






Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	...
Agent or client	BigFix Agent	64-Exploit	 (8)	 (8)	 (8)	 (8)	 (8)	

SUSE Linux Enterprise Server (SLES) 11 x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	↗
Agent or client	BigFix Agent	64-Exploit						
	BigFix Relay	64-Exploit						

SUSE Linux Enterprise Server (SLES) 12 x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	SP3	SP4	↗
Agent or client	BigFix Agent	64-Exploit						
	BigFix Relay	64-Exploit						

SUSE Linux Enterprise Server (SLES) 15 x86-64



Legend:  Supported  Not supported

Component



Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	...
Agent or client	BigFix Agent	64-Exploit			

Ubuntu 16.04 LTS POWER System - Little Endian



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit	 (2)	

Ubuntu 12.04 LTS x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Ubuntu 16.04 LTS x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Ubuntu 18.04 LTS x86-32



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Ubuntu 12.04 LTS x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit		

Ubuntu 14.04 LTS x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	.2	.4	↗
Agent or client	BigFix Agent	64-Exploit				
	BigFix Relay	64-Exploit				

Ubuntu 16.04 LTS x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit		
	BigFix Relay	64-Exploit		

Ubuntu 18.04 LTS x86-64



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	64-Exploit		
	BigFix Relay	64-Exploit		

Linux Notes

1. Includes support for RedHat and Unbreakable Kernel.
2. BigFix supports the following Power processors: OS Version Power Version Power Mode Ubuntu 16.04 LTS - Little Endian Power 8 Power 8
3. Certification testing has been completed on : 1. Kernel version: Kernel version 4.142. H/W: Raspberry Pi 3, or later
4. BigFix supports the following Power processors: OS Version Power Version Power Mode Product Minimum SUSE 10 - Big Endian Power 6 Power 6 9.5.0 SUSE 11 - Big Endian Power 7 Power 7 9.5.0 Power 8 Power 8 9.5.0 Power 9 Power 8 9.5.11 SUSE 12 - Little Endian Power 8 Power 8 9.5.3 Power 9 Power 9 9.5.11
5. kernel-2.6.32-516.el6 is the minimum prerequisite level.
6. BigFix supports the following Power processors: OS Version Power Version Power Mode RHEL Server 6 - Big Endian Power 7 Power 6/Power 6+ Power 8 Power 8 RHEL Server 7 - Big Endian Power 7 Power 7 Power 8 Power 8 RHEL Server 7.1- Little Endian Power 8 Power 8 RHEL Server 7.2 - Little Endian Power 8 Power 8 RHEL Server 7.5 Power 9 Power 9
7. As of Patch 9.5.7, support is included for deploying BigFix Agent / Relay with SELinux enabled on CentOS and RedHat versions 6 and 7.
8. This operating system is no longer in service. Please refer to IBM's policy on unsupported operating systems: <https://www.ibm.com/support/customer/care/sas/f/handbook/policies.html#unsupported>

Mac OS

Summary




Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
OS X Mountain Lion 10.8	Base	x86-64	64-Tolerate	9.5.0		No
OS X Mavericks 10.9	Base	x86-64	64-Tolerate	9.5.0		No
OS X Yosemite 10.10	Base	x86-64	64-Tolerate	9.5.0		No
OS X El Capitan 10.11	Base	x86-64	64-Tolerate	9.5.0		No
macOS High Sierra 10.13	Base	x86-64	64-Tolerate	9.5.5		No
macOS Mojave 10.14	Base	x86-64	64-Exploit	9.5.10		No
macOS Catalina 10.15	Base	x86-64	64-Exploit	9.5.14		No
macOS Sierra 10.12	Base	x86-64	64-Tolerate	9.5.3		No

OS X Mountain Lion 10.8 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

OS X Mavericks 10.9 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

OS X Yosemite 10.10 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

OS X El Capitan 10.11 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

macOS High Sierra 10.13 x86-64



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	10.13.4	10.13.6	↗
Agent or client	BigFix Agent	64-Tolerate				

macOS Mojave 10.14 x86-64



Legend:  Supported  Not supported

Component




Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	10.14.5	↗
Agent or client	BigFix Agent	64-Exploit			

macOS Catalina 10.15 x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Exploit		

macOS Sierra 10.12 x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

Solaris

Summary




Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Solaris 10	Update 10 - 8/11	SPARC	32	9.5.0		No
Solaris 11	Base	SPARC	32	9.5.0		No
Solaris 10	Update 10 - 8/11	x86-32	32	9.5.0		Yes
Solaris 10	Update 10 - 8/11	x86-64	64-Tolerate	9.5.0		No
Solaris 11	Base	x86-64	64-Tolerate	9.5.0		No

Solaris 10 SPARC



Legend:  Supported  Not supported

Component















Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	Update 4	Update 5	Update 9	Update 10 - 8/11	Update 11	...
Agent or client	BigFix Agent	32							
	BigFix Relay	32							

Solaris 11 SPARC



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	↗
Agent or client	BigFix Agent	32						
	BigFix Relay	32						

Solaris 10 x86-32



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	Update 10 - 8/11	↗
Agent or client	BigFix Agent	32		 (1)	
	BigFix Relay	32		 (1)	

Solaris 10 x86-64



Legend:  Supported  Not supported

Component















Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	Update 4	Update 5	Update 9	Update 10 - 8/11	Update 11	...
Agent or client	BigFix Agent	64-Tolerate							
	BigFix Relay	64-Tolerate							

Solaris 11 x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	Update 1	Update 2	Update 3	Update 4	↗
Agent or client	BigFix Agent	64-Tolerate						
	BigFix Relay	64-Tolerate						

Solaris Notes

1. This operating system is no longer in service. Please refer to IBM's policy on unsupported operating systems:
<https://www.ibm.com/support/customer-care/sas/f/handbook/policies.html#unsupported>

Windows




Summary

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components  	Notes?
Windows 10 Education	Base	x86-32	32	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 10 Education	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0	<input checked="" type="radio"/> <input checked="" type="radio"/>	No
Windows 8.1 Enterprise	Base	x86-32	32	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 10 Enterprise	Base	x86-32	32	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 8.1 Enterprise	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0	<input checked="" type="radio"/> <input checked="" type="radio"/>	No
Windows 10 Enterprise	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0	<input checked="" type="radio"/> <input checked="" type="radio"/>	No
Windows 10 Pro	Base	x86-32	32	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 10 Pro	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0	<input checked="" type="radio"/> <input checked="" type="radio"/>	No
Windows 8.1 Professional	Base	x86-32	32	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 8.1 Professional	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0	<input checked="" type="radio"/> <input checked="" type="radio"/>	No
Windows 8.1 Standard	Base	x86-32	32	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 8.1 Standard	Base	x86-64	64-Tolerate	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No
Windows 10 IoT Enterprise	Base	x86-32	32	9.5.3	<input type="radio"/> <input checked="" type="radio"/>	No

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Windows 10 IoT Enterprise	Base	x86-64	64-Tolerate	9.5.3		No
Windows 7 Enterprise	Base	x86-32	32	9.5.0		No
Windows 7 Enterprise	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows 7 Home Premium	Base	x86-32	32	9.5.0		No
Windows 7 Home Premium	Base	x86-64	64-Tolerate	9.5.0		No
Windows 7 Professional	Base	x86-32	32	9.5.0		No
Windows 7 Professional	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows 8 Enterprise	Base	x86-32	32	9.5.0		No
Windows 8 Enterprise	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows 8 Professional	Base	x86-32	32	9.5.0		No
Windows 8 Professional	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows 8 Standard	Base	x86-32	32	9.5.0		No
Windows 8 Standard	Base	x86-64	64-Tolerate	9.5.0		No
Windows Embedded POSReady 7	Base	x86-32	32	9.5.0		No
Windows Embedded Standard 2009	Base	x86-32		9.5.0		Yes
Windows Embedded 7 Enterprise	Base	x86-32	32	9.5.0		No

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Windows Embedded 7 Enterprise	Base	x86-64	64-Tolerate	9.5.0		No
Windows Embedded 7 Standard	Base	x86-32	32	9.5.0		No
Windows Embedded 7 Standard	Base	x86-64	64-Tolerate	9.5.0		No
Windows Embedded POSReady 2009	Base	x86-32	32	9.5.0		Yes
Windows Server 2019	Base	x86-64	64-Exploit, 64-Tolerate	9.5.11		Yes
Windows Server 2008 Datacenter Edition	Base	IA64	64-Tolerate	9.5.0		No
Windows Server 2008 Datacenter Edition	Varies	x86-32	32	9.5.0		No
Windows Server 2008 Datacenter Edition	Varies	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2008 R2 Datacenter Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2008 Enterprise Edition	Base	IA64	64-Tolerate	9.5.0		No
Windows Server 2008 R2 Enterprise Edition	Base	IA64	64-Tolerate	9.5.0		No
Windows Server 2008 Enterprise Edition	Varies	x86-32	32	9.5.0		No
Windows Server 2008 Enterprise Edition	Varies	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2008 R2 Enterprise Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Windows Server 2008 Standard Edition	Base	IA64	64-Tolerate	9.5.0		No
Windows Server 2008 Standard Edition	Base	x86-32	32	9.5.0		No
Windows Server 2008 Standard Edition	Varies	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2008 R2 Standard Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2012 Datacenter Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2012 R2 Datacenter Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		Yes
Windows Server 2012 Essentials Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2012 R2 Essentials Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		Yes
Windows Server 2012 Standard Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		No
Windows Server 2012 R2 Standard Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		Yes
Windows Server 2016 Datacenter Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.3		Yes
Windows Server 2016 Essentials Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.3		Yes
Windows Server 2016 Standard Edition	Base	x86-64	64-Exploit, 64-Tolerate	9.5.3		Yes
Windows Vista Business	Base	x86-32	32	9.5.0		Yes
Windows Vista Business	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		Yes

Operating system	Operating system minimum	Hardware	Bitness	Product minimum	Components 	Notes?
Windows Vista Enterprise	Base	x86-32	32	9.5.0		Yes
Windows Vista Enterprise	Base	x86-64	64-Exploit, 64-Tolerate	9.5.0		Yes

Windows 10 Education x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	Annive Update	Creator Update	Fall Creator Update	April 2018 Update	1809	1903	1909	↗
Agent or client	BigFix Agent	32									
	BigFix Relay	32									

Windows 10 Education x86-64



Legend:  Supported  Not supported

Component




























Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	Annive Update	Creator Update	Fall Creator Update	April 2018 Update	1809	1903	1909	...
Server	BigFix Console	64-Exploit									
Agent or client	BigFix Agent	64-Tolerate									
	BigFix Relay	64-Tolerate									

Windows 8.1 Enterprise x86-32



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Windows 10 Enterprise x86-32



Legend:  Supported  Not supported

Component




Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	Annive Update	Creator Update	Fall Creator Update	April 2018 Update	1809	1903	1909	...
Agent or client	BigFix Agent	32									
	BigFix Relay	32									

Windows 8.1 Enterprise x86-64



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Server	BigFix Console	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows 10 Enterprise x86-64



Legend:  Supported  Not supported

Component


Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	Annive Update	Creator Update	Fall Creator Update	April 2018 Update	1809	1903	1909	...>
Server	BigFix Console	64-Exploit									
Agent or client	BigFix Agent	64-Tolerate									
	BigFix Relay	64-Tolerate									

Windows 10 Pro x86-32



Legend:  Supported  Not supported

Component












Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	Annive Update	Creator Update	Fall Creator Update	April 2018 Update	1809	1903	1909	...
Agent or client	BigFix Agent	32									
	BigFix Relay	32									

Windows 10 Pro x86-64



Legend:  Supported  Not supported

Component




























Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	Annive Update	Creator Update	Fall Creator Update	April 2018 Update	1809	1903	1909	↗
Server	BigFix Console	64-Exploit									
Agent or client	BigFix Agent	64-Tolerate									
	BigFix Relay	64-Tolerate									

Windows 8.1 Professional x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Windows 8.1 Professional x86-64



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Server	BigFix Console	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows 8.1 Standard x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Windows 8.1 Standard x86-64



Legend:  Supported  Not supported

Component





Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows 10 IoT Enterprise x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Windows 10 IoT Enterprise x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

Windows 7 Enterprise x86-32



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Agent or client	BigFix Agent	32			
	BigFix Relay	32			

Windows 7 Enterprise x86-64



Legend:  Supported  Not supported

Component










Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Server	BigFix Console	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows 7 Home Premium x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Agent or client	BigFix Agent	32			
	BigFix Relay	32			

Windows 7 Home Premium x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows 7 Professional x86-32



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Agent or client	BigFix Agent	32			
	BigFix Relay	32			

Windows 7 Professional x86-64



Legend:  Supported  Not supported

Component










Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Server	BigFix Console	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows 8 Enterprise x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Windows 8 Enterprise x86-64



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Server	BigFix Console	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows 8 Professional x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Windows 8 Professional x86-64



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	↗
Server	BigFix Console	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows 8 Standard x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		
	BigFix Relay	32		

Windows 8 Standard x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows Embedded POSReady 7 x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Windows Embedded Standard 2009 x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent		 (2)	

Windows Embedded 7 Enterprise x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Windows Embedded 7 Enterprise x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

Windows Embedded 7 Standard x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32		

Windows Embedded 7 Standard x86-64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	64-Tolerate		

Windows Embedded POSReady 2009 x86-32



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Agent or client	BigFix Agent	32	 (2)	

Windows Server 2019 x86-64



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	↗
Server	BigFix Console	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Server 2008 Datacenter Edition IA64



Legend:  Supported  Not supported

Component




Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP2	↗
Agent or client	BigFix Agent	64-Tolerate			

Windows Server 2008 Datacenter Edition x86-32



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP2	↗
Agent or client	BigFix Agent	32			
	BigFix Relay	32			

Windows Server 2008 Datacenter Edition x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	SP2	...
Server	BigFix Console	64-Exploit			
	BigFix Server	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows Server 2008 R2 Datacenter Edition x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	...
Server	BigFix Console	64-Exploit			
	BigFix Server	64-Exploit			
	BigFix WebUI Service	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows Server 2008 Enterprise Edition IA64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP2	↗
Agent or client	BigFix Agent	64-Tolerate			

Windows Server 2008 R2 Enterprise Edition IA64



Legend:  Supported  Not supported

Component

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	↗
Agent or client	BigFix Agent	64-Tolerate			

Windows Server 2008 Enterprise Edition x86-32

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP2	↗
Agent or client	BigFix Agent	32			
	BigFix Relay	32			

Windows Server 2008 Enterprise Edition x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP2	...
Server	BigFix Console	64-Exploit			
	BigFix Server	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows Server 2008 R2 Enterprise Edition x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	...
Server	BigFix Console	64-Exploit			
	BigFix Server	64-Exploit			
	BigFix WebUI Service	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows Server 2008 Standard Edition IA64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP2	↗
Agent or client	BigFix Agent	64-Tolerate			

Windows Server 2008 Standard Edition x86-32



Legend:  Supported  Not supported

Component







Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [↗](#)




Deployment unit	Component	Bitness	Base	SP2	↗
Agent or client	BigFix Agent	32			
	BigFix Relay	32			

Windows Server 2008 Standard Edition x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP2	...
Server	BigFix Console	64-Exploit			
	BigFix Server	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows Server 2008 R2 Standard Edition x86-64



Legend:  Supported  Not supported

Component









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	Service Pack 1	...
Server	BigFix Console	64-Exploit			
	BigFix Server	64-Exploit			
	BigFix WebUI Service	64-Exploit			
Agent or client	BigFix Agent	64-Tolerate			
	BigFix Relay	64-Tolerate			

Windows Server 2012 Datacenter Edition x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows Server 2012 R2 Datacenter Edition x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Server 2012 Essentials Edition x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows Server 2012 R2 Essentials Edition x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Server 2012 Standard Edition x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate		
	BigFix Relay	64-Tolerate		

Windows Server 2012 R2 Standard Edition x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Server 2016 Datacenter Edition x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Server 2016 Essentials Edition x86-64

Legend: Supported Not supported

Component

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Server 2016 Standard Edition x86-64



Legend:  Supported  Not supported

Component











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	...
Server	BigFix Console	64-Exploit		
	BigFix Server	64-Exploit		
	BigFix WebUI Service	64-Exploit		
Agent or client	BigFix Agent	64-Tolerate	 (1)	
	BigFix Relay	64-Tolerate	 (1)	

Windows Vista Business x86-32



Legend:  Supported  Not supported

Component









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	...
Agent or client	BigFix Agent	32	 (2)	 (2)	 (2)	
	BigFix Relay	32	 (2)	 (2)	 (2)	

Windows Vista Business x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	...
Server	BigFix Console	64-Exploit	 (2)	 (2)	 (2)	
Agent or client	BigFix Agent	64-Tolerate	 (2)	 (2)	 (2)	
	BigFix Relay	64-Tolerate	 (2)	 (2)	 (2)	

Windows Vista Enterprise x86-32



Legend:  Supported  Not supported

Component









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)




Deployment unit	Component	Bitness	Base	SP1	SP2	...
Agent or client	BigFix Agent	32	 (2)	 (2)	 (2)	
	BigFix Relay	32	 (2)	 (2)	 (2)	

Windows Vista Enterprise x86-64



Legend:  Supported  Not supported

Component













Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Operating System Technology Levels, Current and Future [...](#)

Deployment unit	Component	Bitness	Base	SP1	SP2	...
Server	BigFix Console	64-Exploit	 (2)	 (2)	 (2)	
Agent or client	BigFix Agent	64-Tolerate	 (2)	 (2)	 (2)	
	BigFix Relay	64-Tolerate	 (2)	 (2)	 (2)	

Windows Notes

1. Server Core installation option is supported.
2. This operating system is no longer in service. Please refer to IBM's policy on unsupported operating systems:
<https://www.ibm.com/support/customer/care/sas/f/handbook/policies.html#unsupported>

Hypervisors

The Hypervisors section specifies the hypervisors that BigFix Patch 9.5.14 support.

Component support

- Full
- Partial
- None

Installable software



Operating System Families

[AIX](#) [Linux](#) [Mac OS](#) [Solaris](#) [Windows](#)

All BigFix components are supported on virtual hardware. Any hypervisor technology specified in the IBM Virtualization Policy may be used as long as the guest OS is supported by the installed BigFix component as indicated in the OS sections of this compatibility matrix. See Supported Software tab - Virtualization Management for supported Hypervisor Agents.

AIX

Summary




Hypervisor	Product minimum	Components  	Guest operating system restriction?	Notes?
IBM PowerVM Hypervisor (LPAR, DPAR, Micro-Partition) any supported version	9.5.13	<input checked="" type="radio"/> <input checked="" type="radio"/>	Yes	Yes
WPAR: Product installed in System Workload Partition AIX 6.1	9.5.13	<input checked="" type="radio"/> <input checked="" type="radio"/>	Yes	Yes

IBM PowerVM Hypervisor (LPAR, DPAR, Micro-Partition) any supported version



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	any supported version	→
Server	BigFix Console	 (2)	
	BigFix Server	 (2)	
	BigFix WebUI Service	 (2)	
Agent or client	BigFix Agent	 (2)	
	BigFix Relay	 (2)	

Supported Guest Operating Systems




Components	Supported operating systems
<p data-bbox="149 478 630 510">All components that this hypervisor supports</p> <p data-bbox="149 527 228 552">Server</p> <ul data-bbox="149 569 422 688" style="list-style-type: none"> <li data-bbox="149 569 350 600">• BigFix Console <li data-bbox="149 611 334 642">• BigFix Server <li data-bbox="149 653 422 688">• BigFix WebUI Service <p data-bbox="149 701 324 732">Agent or client</p> <ul data-bbox="149 743 324 821" style="list-style-type: none"> <li data-bbox="149 743 324 774">• BigFix Agent <li data-bbox="149 785 324 821">• BigFix Relay 	<p data-bbox="815 478 1162 510">All supported operating systems</p> <ul data-bbox="815 527 1250 646" style="list-style-type: none"> <li data-bbox="815 527 1250 558">• AIX 6.1 POWER System - Big Endian <li data-bbox="815 569 1250 600">• AIX 7.1 POWER System - Big Endian <li data-bbox="815 611 1250 646">• AIX 7.2 POWER System - Big Endian

WPAR: Product installed in System Workload Partition AIX 6.1



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	AIX 6.1	→
Server	BigFix Console	 (1)	
	BigFix Server	 (1)	
	BigFix WebUI Service	 (1)	
Agent or client	BigFix Agent	 (1)	
	BigFix Relay	 (1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• AIX 6.1 POWER System - Big Endian• AIX 7.1 POWER System - Big Endian• AIX 7.2 POWER System - Big Endian




Notes applying to hypervisors on AIX operating systems

1. Supports Detached WPAR only.
2. Supported via Management Extender to provide audit only patch information.

Linux

Summary

Hypervisor	Product minimum	Components  	Guest operating system restriction?	Notes?
IBM PR/SM any version	9.5.13	 	Yes	No
IBM PowerVM Hypervisor (LPAR, DPAR, Micro-Partition) any supported version	9.5.13	 	Yes	Yes
KVM in SUSE Linux Enterprise Server (SLES) 11	9.5.13	 	Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4	9.5.13	 	Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0	9.5.13	 	Yes	No
VMware ESX 4.0	9.5.13	 	Yes	No
VMware ESX 4.1	9.5.13	 	Yes	No
VMware ESXi 4.0	9.5.13	 	Yes	Yes
VMware ESXi 4.1	9.5.13	 	Yes	Yes
VMware ESXi 5.0	9.5.13	 	Yes	Yes
VMware ESXi 5.1	9.5.13	 	Yes	Yes
VMware ESXi 5.5	9.5.13	 	Yes	Yes
VMware ESXi 6.0	9.5.5	 	Yes	Yes

Hypervisor	Product minimum	Components 	Guest operating system restriction?	Notes?
VMware ESXi 6.5	9.5.13		Yes	Yes
z/VM 6.1	9.5.13		Yes	No

IBM PR/SM any version

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	any version	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

IBM PowerVM Hypervisor (LPAR, DPAR, Micro-Partition) any supported version

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	any supported version	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

KVM in SUSE Linux Enterprise Server (SLES) 11

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	11	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.4	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports Server	All supported operating systems <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports Server	All supported operating systems <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESX 4.0

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESX 4.1

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 4.0

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 4.1

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 5.0

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.0	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 5.1

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.1	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 5.5

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.5	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 6.0

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

VMware ESXi 6.5

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix WebUI Service
- BigFix Console

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.5	→
Server	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32

Components	Supported operating systems
<ul style="list-style-type: none"> • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-64 • CentOS 5.3 x86-32 • Ubuntu 12.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • CentOS 6.0 x86-32 • CentOS 6.0 x86-64 • CentOS 5.3 x86-64 • Debian 7.0 x86-32 • Debian 7.0 x86-64 • Ubuntu 14.04 LTS x86-64 • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian




Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

z/VM 6.1



Legend:  Supported  Not supported

Components









Server

-  BigFix Server
-  BigFix WebUI Service
-  BigFix Console

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.1	→
Server	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Server 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 x86-32



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian• SUSE Linux Enterprise Server (SLES) 10 IBM z Systems• Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32• Red Hat Enterprise Linux (RHEL) 5 Advanced Patch POWER System - Big Endian• Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian• Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6 x86-32• Red Hat Enterprise Linux (RHEL) Server 6 x86-64• SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian• SUSE Linux Enterprise Server (SLES) 11 IBM z Systems• SUSE Linux Enterprise Server (SLES) 11 x86-32• SUSE Linux Enterprise Server (SLES) 11 x86-64• CentOS 5.3 x86-32• Ubuntu 12.04 LTS x86-32• Ubuntu 12.04 LTS x86-64• Red Hat Enterprise Linux (RHEL) 5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5 Server x86-32• CentOS 6.0 x86-32• CentOS 6.0 x86-64• CentOS 5.3 x86-64• Debian 7.0 x86-32• Debian 7.0 x86-64• Ubuntu 14.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian• SUSE Linux Enterprise Server (SLES) 12 x86-64• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian

























Components	Supported operating systems
	<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7 x86-64• SUSE Linux Enterprise Server (SLES) 12 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• CentOS 7 x86-64• Oracle Enterprise Linux 6.7 x86-32• Oracle Enterprise Linux 6.7 x86-64• Oracle Enterprise Linux 7.1 x86-64• Debian 8.0 x86-32• Debian 8.0 x86-64• Oracle Enterprise Linux 6 x86-64• Oracle Enterprise Linux 7 x86-64• Oracle Enterprise Linux 7.2 x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 16.04 LTS x86-32• Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Little Endian• Debian 9.0 x86-32• Debian 9.0 x86-64• Ubuntu 18.04 LTS x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• Ubuntu 18.04 LTS x86-32• Raspbian 9 (Stretch) ARM

Notes applying to hypervisors on Linux operating systems

1. Supported via Management Extender to provide audit only patch information.

Mac OS

Summary




Hypervisor	Product minimum	Components  	Guest operating system restriction?	Notes?
KVM in SUSE Linux Enterprise Server (SLES) 11	9.5.13	 	Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4	9.5.13	 	Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0	9.5.13	 	Yes	No
VMware ESX 4.0	9.5.13	 	Yes	No
VMware ESX 4.1	9.5.13	 	Yes	No
VMware ESXi 4.0	9.5.13	 	Yes	Yes
VMware ESXi 4.1	9.5.13	 	Yes	Yes
VMware ESXi 5.0	9.5.13	 	Yes	Yes
VMware ESXi 5.1	9.5.13	 	Yes	Yes
VMware ESXi 5.5	9.5.13	 	Yes	Yes
VMware ESXi 6.0	9.5.5	 	Yes	Yes

KVM in SUSE Linux Enterprise Server (SLES) 11



Legend:  Supported  Not supported

Components









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	11	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.4	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p>	<p>All supported operating systems</p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Mavericks 10.9 x86-64• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p>	<p>All supported operating systems</p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Mavericks 10.9 x86-64• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESX 4.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64






Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESX 4.1



Legend:  Supported  Not supported

Components









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESXi 4.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESXi 4.1

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64






Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESXi 5.0



Legend:  Supported  Not supported

Components









Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.0	→
Server	BigFix Console	 (1)	
	BigFix Server	 (1)	
	BigFix WebUI Service	 (1)	
Agent or client	BigFix Agent	 (1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESXi 5.1

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.1	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESXi 5.5

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.5	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service Agent or client <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

VMware ESXi 6.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
<p><i>All components that this hypervisor supports</i></p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console 	<p><i>All supported operating systems</i></p> <ul style="list-style-type: none"> • OS X Mountain Lion 10.8 x86-64 • OS X Mavericks 10.9 x86-64



Components	Supported operating systems
<ul style="list-style-type: none">• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent	<ul style="list-style-type: none">• OS X Yosemite 10.10 x86-64• OS X El Capitan 10.11 x86-64• macOS Sierra 10.12 x86-64• macOS High Sierra 10.13 x86-64• macOS Mojave 10.14 x86-64

Notes applying to hypervisors on Mac OS operating systems

1. Supported via Management Extender to provide audit only patch information.

Solaris

Summary

Hypervisor	Product minimum	Components 	Guest operating system restriction?	Notes?
KVM in SUSE Linux Enterprise Server (SLES) 11	9.5.13		Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4	9.5.13		Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0	9.5.13		Yes	No
VMware ESX 4.0	9.5.13		Yes	No
VMware ESX 4.1	9.5.13		Yes	No
VMware ESXi 4.0	9.5.13		Yes	Yes
VMware ESXi 4.1	9.5.13		Yes	Yes
VMware ESXi 5.0	9.5.13		Yes	Yes
VMware ESXi 5.1	9.5.13		Yes	Yes
VMware ESXi 5.5	9.5.13		Yes	Yes
VMware ESXi 6.0	9.5.5		Yes	Yes
VMware ESXi 6.5	9.5.13		Yes	Yes

KVM in SUSE Linux Enterprise Server (SLES) 11

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	11	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems




Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.4	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems




Components	Supported operating systems
<p data-bbox="149 472 808 514"><i>All components that this hypervisor supports</i></p> <p data-bbox="149 522 808 556">Server</p> <ul data-bbox="149 564 808 682" style="list-style-type: none"><li data-bbox="149 564 808 598">• BigFix Console<li data-bbox="149 606 808 640">• BigFix Server<li data-bbox="149 648 808 682">• BigFix WebUI Service <p data-bbox="149 699 808 732">Agent or client</p> <ul data-bbox="149 741 808 816" style="list-style-type: none"><li data-bbox="149 741 808 774">• BigFix Agent<li data-bbox="149 783 808 816">• BigFix Relay	<p data-bbox="815 472 1466 514"><i>All supported operating systems</i></p> <ul data-bbox="815 522 1466 724" style="list-style-type: none"><li data-bbox="815 522 1466 556">• Solaris 10 SPARC<li data-bbox="815 564 1466 598">• Solaris 10 x86-64<li data-bbox="815 606 1466 640">• Solaris 11 SPARC<li data-bbox="815 648 1466 682">• Solaris 11 x86-64<li data-bbox="815 690 1466 724">• Solaris 10 x86-32

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p data-bbox="149 472 808 514"><i>All components that this hypervisor supports</i></p> <p data-bbox="149 522 808 554">Server</p> <ul data-bbox="149 562 808 688" style="list-style-type: none"><li data-bbox="149 562 808 594">• BigFix Console<li data-bbox="149 602 808 634">• BigFix Server<li data-bbox="149 642 808 674">• BigFix WebUI Service <p data-bbox="149 697 808 728">Agent or client</p> <ul data-bbox="149 737 808 821" style="list-style-type: none"><li data-bbox="149 737 808 768">• BigFix Agent<li data-bbox="149 777 808 808">• BigFix Relay	<p data-bbox="815 472 1466 514"><i>All supported operating systems</i></p> <ul data-bbox="815 522 1466 732" style="list-style-type: none"><li data-bbox="815 522 1466 554">• Solaris 10 SPARC<li data-bbox="815 562 1466 594">• Solaris 10 x86-64<li data-bbox="815 602 1466 634">• Solaris 11 SPARC<li data-bbox="815 642 1466 674">• Solaris 11 x86-64<li data-bbox="815 682 1466 714">• Solaris 10 x86-32

VMware ESX 4.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESX 4.1

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 4.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems






Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 4.1



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Console	 (1)	
	BigFix Server	 (1)	
	BigFix WebUI Service	 (1)	
Agent or client	BigFix Agent	 (1)	
	BigFix Relay	 (1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems




Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 5.0



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.0	→
Server	BigFix Console	 (1)	
	BigFix Server	 (1)	
	BigFix WebUI Service	 (1)	
Agent or client	BigFix Agent	 (1)	
	BigFix Relay	 (1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems




Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 5.1



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.1	→
Server	BigFix Console	 (1)	
	BigFix Server	 (1)	
	BigFix WebUI Service	 (1)	
Agent or client	BigFix Agent	 (1)	
	BigFix Relay	 (1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems



Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 5.5

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.5	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
Server <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service Agent or client <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 6.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems



Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

VMware ESXi 6.5

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.5	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems






















Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none">• BigFix Console• BigFix Server• BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none">• BigFix Agent• BigFix Relay	<ul style="list-style-type: none">• Solaris 10 SPARC• Solaris 10 x86-64• Solaris 11 SPARC• Solaris 11 x86-64• Solaris 10 x86-32

Notes applying to hypervisors on Solaris operating systems

1. Supported via Management Extender to provide audit only patch information.

Windows

Summary

Hypervisor	Product minimum	Components  	Guest operating system restriction?	Notes?
KVM in SUSE Linux Enterprise Server (SLES) 11	9.5.13	 	Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4	9.5.13	 	Yes	No
Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0	9.5.13	 	Yes	No
VMware ESX 4.0	9.5.13	 	Yes	No
VMware ESX 4.1	9.5.13	 	Yes	No
VMware ESXi 4.0	9.5.13	 	Yes	Yes
VMware ESXi 4.1	9.5.13	 	Yes	Yes
VMware ESXi 5.0	9.5.13	 	Yes	Yes
VMware ESXi 5.1	9.5.13	 	Yes	Yes
VMware ESXi 5.5	9.5.13	 	Yes	Yes
VMware ESXi 6.0	9.5.5	 	Yes	Yes
VMware ESXi 6.5	9.5.13	 	Yes	Yes

KVM in SUSE Linux Enterprise Server (SLES) 11

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	11	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32




Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 5.4



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.4	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8 Standard x86-32• Windows Server 2012 Datacenter Edition x86-64• Windows Server 2012 Standard Edition x86-64• Windows Server 2012 Essentials Edition x86-64• Windows Embedded POSReady 7 x86-32• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

Red Hat KVM as delivered with Red Hat Enterprise Linux (RHEL) and its RHEV equivalent 6.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
<p>All components that this hypervisor supports</p> <p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<p>All supported operating systems</p> <ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32




Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8 Standard x86-32• Windows Server 2012 Datacenter Edition x86-64• Windows Server 2012 Standard Edition x86-64• Windows Server 2012 Essentials Edition x86-64• Windows Embedded POSReady 7 x86-32• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESX 4.0



Legend:  Supported  Not supported

Components











Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESX 4.1

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Console		
	BigFix Server		
	BigFix WebUI Service		
Agent or client	BigFix Agent		
	BigFix Relay		

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 4.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 4.1

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	4.1	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 5.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 5.1

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.1	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 5.5

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	5.5	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 6.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.0	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

VMware ESXi 6.5

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Hypervisor Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	6.5	→
Server	BigFix Console	(1)	
	BigFix Server	(1)	
	BigFix WebUI Service	(1)	
Agent or client	BigFix Agent	(1)	
	BigFix Relay	(1)	

Supported Guest Operating Systems

Components	Supported operating systems
All components that this hypervisor supports	All supported operating systems

Components	Supported operating systems
<p>Server</p> <ul style="list-style-type: none"> • BigFix Console • BigFix Server • BigFix WebUI Service <p>Agent or client</p> <ul style="list-style-type: none"> • BigFix Agent • BigFix Relay 	<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista Business x86-32 • Windows Vista Enterprise x86-32 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 Datacenter Edition IA64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 Standard Edition IA64 • Windows 7 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows 7 Home Premium x86-64 • Windows Embedded Standard 2009 x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Standard x86-64 • Windows 8 Professional x86-64 • Windows 8 Professional x86-32 • Windows 8 Enterprise x86-32 • Windows 8 Standard x86-32 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Embedded POSReady 7 x86-32

Components	Supported operating systems
	<ul style="list-style-type: none">• Windows 8.1 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 8.1 Professional x86-32• Windows 8.1 Professional x86-64• Windows 8.1 Standard x86-32• Windows 8.1 Standard x86-64• Windows Server 2012 R2 Datacenter Edition x86-64• Windows Server 2012 R2 Essentials Edition x86-64• Windows Server 2012 R2 Standard Edition x86-64• Windows 10 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Enterprise x86-32• Windows 10 Enterprise x86-64• Windows 10 Education x86-32• Windows 10 Education x86-64• Windows Embedded 7 Standard x86-32• Windows Embedded 7 Standard x86-64• Windows Embedded 7 Enterprise x86-32• Windows Embedded 7 Enterprise x86-64• Windows Server 2016 Datacenter Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Server 2016 Essentials Edition x86-64• Windows 10 IoT Enterprise x86-32• Windows 10 IoT Enterprise x86-64• Windows Server 2019 x86-64

Notes applying to hypervisors on Windows operating systems

1. Supported via Management Extender to provide audit only patch information.

Prerequisites

The Prerequisites section specifies the capabilities that BigFix Patch 9.5.14 requires, and the prerequisite products that can be used to fulfill those capabilities.

Capabilities



Databases

Component Support

- Full
- Partial
- None

Databases

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components  	Operating system restrictions?	Notes?
DB2 Enterprise Server Edition	10.1	10.1	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	Yes	No
	10.5	10.5	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	Yes	No
DB2 Workgroup Server Edition	10.1	10.1	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	Yes	(1)
	10.5	10.5	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	Yes	(1)
DB2 Standard Edition	11.5	11.5	9.5.14	<input checked="" type="radio"/> <input type="radio"/>	Yes	(1)
Microsoft SQL Server	2008 and future fix packs	2008	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	Yes	(1)
	2012 and future fix packs	2012	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	Yes	(1)




Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
	2014 and future fix packs	2014	9.5.0		Yes	(1)
	2016 and future fix packs	2016	9.5.3		Yes	(1)
	2017 and future fix packs	2017	9.5.13		No	(1)

DB2 Enterprise Server Edition 10.1



Legend:  Supported  Not supported

Components





Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future [↔](#)

Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	10.1.0.6	↔
Server	BigFix Server								

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • CentOS 5.3 x86-32 • CentOS 6.0 x86-32 • CentOS 5.3 x86-64 • CentOS 6.0 x86-64 • CentOS 7 x86-64 • Debian 7.0 x86-32 • Debian 8.0 x86-32 • Debian 9.0 x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Debian 7.0 x86-64 • Debian 8.0 x86-64 • Debian 9.0 x86-64 • Oracle Enterprise Linux 6.7 x86-32 • Oracle Enterprise Linux 6 x86-64 • Oracle Enterprise Linux 6.7 x86-64 • Oracle Enterprise Linux 7 x86-64 • Oracle Enterprise Linux 7.1 x86-64 • Oracle Enterprise Linux 7.2 x86-64 • Raspbian 9 (Stretch) ARM • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.1 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.2 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.3 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.4 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.5 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.6 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.7 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.8 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.9 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.10 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.11 Server x86-32• Red Hat Enterprise Linux (RHEL) 5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.1 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.2 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.3 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.4 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.6 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.7 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.8 Server x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.9 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.10 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.11 Server x86-64 • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.1 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.2 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.3 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.4 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.5 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.8 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.9 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.10 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.1 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.2 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.3 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.4 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.5 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.7 IBM z Systems

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.8 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.9 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.10 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Little Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.7 x86-64 • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP3 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP1 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP2 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP3 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP4 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 11 x86-64




Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 12 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 15 x86-64 • SUSE Linux Enterprise Server (SLES) 15 SP1 x86-64 • Ubuntu 16.04 LTS POWER System - Little Endian • Ubuntu 12.04 LTS x86-32 • Ubuntu 16.04 LTS x86-32 • Ubuntu 18.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Ubuntu 14.04 LTS x86-64 • Ubuntu 14.04 .2 LTS x86-64 • Ubuntu 14.04 .4 LTS x86-64 • Ubuntu 16.04 LTS x86-64 • Ubuntu 18.04 LTS x86-64

DB2 Enterprise Server Edition 10.5



Legend:  Supported  Not supported

Components














Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	10.5	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	...
Server	BigFix Server													

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • CentOS 5.3 x86-32 • CentOS 6.0 x86-32 • CentOS 5.3 x86-64 • CentOS 6.0 x86-64 • CentOS 7 x86-64 • Debian 7.0 x86-32 • Debian 8.0 x86-32 • Debian 9.0 x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Debian 7.0 x86-64 • Debian 8.0 x86-64 • Debian 9.0 x86-64 • Oracle Enterprise Linux 6.7 x86-32 • Oracle Enterprise Linux 6 x86-64 • Oracle Enterprise Linux 6.7 x86-64 • Oracle Enterprise Linux 7 x86-64 • Oracle Enterprise Linux 7.1 x86-64 • Oracle Enterprise Linux 7.2 x86-64 • Raspbian 9 (Stretch) ARM • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.1 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.2 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.3 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.4 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.5 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.6 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.7 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.8 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.9 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.10 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5.11 Server x86-32 • Red Hat Enterprise Linux (RHEL) 5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.1 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.2 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.3 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.4 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.5 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.6 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.7 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.8 Server x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.9 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.10 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.11 Server x86-64 • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.1 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.2 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.3 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.4 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.5 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.8 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.9 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.10 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.1 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.2 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.3 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.4 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.5 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.7 IBM z Systems

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.8 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.9 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.10 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Little Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.7 x86-64 • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP3 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP1 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP2 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP3 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP4 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 11 x86-64




Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 12 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 12 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 15 x86-64 • SUSE Linux Enterprise Server (SLES) 15 SP1 x86-64 • Ubuntu 16.04 LTS POWER System - Little Endian • Ubuntu 12.04 LTS x86-32 • Ubuntu 16.04 LTS x86-32 • Ubuntu 18.04 LTS x86-32 • Ubuntu 12.04 LTS x86-64 • Ubuntu 14.04 LTS x86-64 • Ubuntu 14.04 .2 LTS x86-64 • Ubuntu 14.04 .4 LTS x86-64 • Ubuntu 16.04 LTS x86-64 • Ubuntu 18.04 LTS x86-64

DB2 Workgroup Server Edition 10.1



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future →

Deployment unit	Component	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	10.1.0.6	→
Server	BigFix Server	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • CentOS 5.3 x86-32 • CentOS 6.0 x86-32 • CentOS 5.3 x86-64 • CentOS 6.0 x86-64 • CentOS 7 x86-64 • Debian 7.0 x86-32 • Debian 8.0 x86-32 • Debian 9.0 x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Debian 7.0 x86-64 • Debian 8.0 x86-64 • Debian 9.0 x86-64 • Oracle Enterprise Linux 6.7 x86-32 • Oracle Enterprise Linux 6 x86-64 • Oracle Enterprise Linux 6.7 x86-64 • Oracle Enterprise Linux 7 x86-64 • Oracle Enterprise Linux 7.1 x86-64 • Oracle Enterprise Linux 7.2 x86-64 • Raspbian 9 (Stretch) ARM • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.1 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.2 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.3 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.4 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.5 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.6 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.7 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.8 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.9 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.10 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.11 Server x86-32• Red Hat Enterprise Linux (RHEL) 5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.1 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.2 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.3 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.4 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.6 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.7 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.8 Server x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.9 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.10 Server x86-64 • Red Hat Enterprise Linux (RHEL) 5.11 Server x86-64 • Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.1 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.2 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.3 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.4 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.5 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.8 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.9 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6.10 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.1 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.2 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.3 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.4 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.5 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.6 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 7.7 IBM z Systems

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.8 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.9 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.10 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Little Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.7 x86-64 • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP3 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP1 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP2 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP3 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP4 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-64 • SUSE Linux Enterprise Server (SLES) 11 x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64• SUSE Linux Enterprise Server (SLES) 12 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP1 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP2 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP3 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP4 x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• SUSE Linux Enterprise Server (SLES) 15 SP1 x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 12.04 LTS x86-32• Ubuntu 16.04 LTS x86-32• Ubuntu 18.04 LTS x86-32• Ubuntu 12.04 LTS x86-64• Ubuntu 14.04 LTS x86-64• Ubuntu 14.04 .2 LTS x86-64• Ubuntu 14.04 .4 LTS x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 18.04 LTS x86-64

DB2 Workgroup Server Edition 10.5

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix Console
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	10.5	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	...
Server	BigFix Server	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	 (1)	

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • CentOS 5.3 x86-32 • CentOS 6.0 x86-32 • CentOS 5.3 x86-64 • CentOS 6.0 x86-64 • CentOS 7 x86-64 • Debian 7.0 x86-32 • Debian 8.0 x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Debian 9.0 x86-32 • Debian 7.0 x86-64 • Debian 8.0 x86-64 • Debian 9.0 x86-64 • Oracle Enterprise Linux 6.7 x86-32 • Oracle Enterprise Linux 6 x86-64 • Oracle Enterprise Linux 6.7 x86-64 • Oracle Enterprise Linux 7 x86-64 • Oracle Enterprise Linux 7.1 x86-64 • Oracle Enterprise Linux 7.2 x86-64 • Raspbian 9 (Stretch) ARM • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch IBM z Systems • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-32 • Red Hat Enterprise Linux (RHEL) 5 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.1 Advanced Patch x86-64 • Red Hat Enterprise Linux (RHEL) 5.2 Advanced Patch x86-64



Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) 5.3 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.4 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.5 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.6 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.7 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.8 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.9 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.10 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5.11 Advanced Patch x86-64• Red Hat Enterprise Linux (RHEL) 5 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.1 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.2 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.3 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.4 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.5 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.6 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.7 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.8 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.9 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.10 Server x86-32• Red Hat Enterprise Linux (RHEL) 5.11 Server x86-32• Red Hat Enterprise Linux (RHEL) 5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.1 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.2 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.3 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.4 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.5 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.6 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.7 Server x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) 5.8 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.9 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.10 Server x86-64• Red Hat Enterprise Linux (RHEL) 5.11 Server x86-64• Red Hat Enterprise Linux (RHEL) Server 6 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.1 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.2 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.3 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.4 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.5 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.6 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.7 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.8 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.9 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 6.10 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7.1 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7.2 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7.3 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7.4 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7.5 IBM z Systems• Red Hat Enterprise Linux (RHEL) Server 7.6 IBM z Systems

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.7 IBM z Systems • Red Hat Enterprise Linux (RHEL) Server 6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.8 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.9 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 6.10 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Big Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.1 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.2 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.3 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.4 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.5 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.6 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 7.7 POWER System - Little Endian • Red Hat Enterprise Linux (RHEL) Server 6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-32 • Red Hat Enterprise Linux (RHEL) Server 6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.10 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.7 x86-64 • SUSE Linux Enterprise Server (SLES) 10 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 11 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP1 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP2 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP3 IBM z Systems • SUSE Linux Enterprise Server (SLES) 12 SP4 IBM z Systems • SUSE Linux Enterprise Server (SLES) 10 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP2 POWER System - Big Endian

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • SUSE Linux Enterprise Server (SLES) 10 SP3 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 10 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP1 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP2 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP3 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 11 SP4 POWER System - Big Endian • SUSE Linux Enterprise Server (SLES) 12 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP1 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP2 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP3 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 12 SP4 POWER System - Little Endian • SUSE Linux Enterprise Server (SLES) 10 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 11 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP1 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP2 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP3 x86-32 • SUSE Linux Enterprise Server (SLES) 11 SP4 x86-32 • SUSE Linux Enterprise Server (SLES) 10 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP1 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP2 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP3 x86-64 • SUSE Linux Enterprise Server (SLES) 10 SP4 x86-64




Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• SUSE Linux Enterprise Server (SLES) 11 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP1 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP2 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP3 x86-64• SUSE Linux Enterprise Server (SLES) 11 SP4 x86-64• SUSE Linux Enterprise Server (SLES) 12 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP1 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP2 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP3 x86-64• SUSE Linux Enterprise Server (SLES) 12 SP4 x86-64• SUSE Linux Enterprise Server (SLES) 15 x86-64• SUSE Linux Enterprise Server (SLES) 15 SP1 x86-64• Ubuntu 16.04 LTS POWER System - Little Endian• Ubuntu 12.04 LTS x86-32• Ubuntu 16.04 LTS x86-32• Ubuntu 18.04 LTS x86-32• Ubuntu 12.04 LTS x86-64• Ubuntu 14.04 LTS x86-64• Ubuntu 14.04 .2 LTS x86-64• Ubuntu 14.04 .4 LTS x86-64• Ubuntu 16.04 LTS x86-64• Ubuntu 18.04 LTS x86-64

DB2 Standard Edition 11.5



Legend:  Supported  Not supported

Components

Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future [↗](#)

Deployment unit	Component	11.5.0.0	↗
Server	BigFix Server	 (1)	

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • All the Linux OS supported by DB2 Server. For details, see IBM DB2 11.5 documentation.

Microsoft SQL Server 2008 and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix Console
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future

Deployment unit	Component	2008	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • Windows 10 Education x86-32 • Windows 10 Anniversary Update Education x86-32 • Windows 10 Creators Update Education x86-32 • Windows 10 Fall Creators Update Education x86-32 • Windows 10 April 2018 Update Education x86-32 • Windows 10 1809 Education x86-32 • Windows 10 1903 Education x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 Education x86-64 • Windows 10 Anniversary Update Education x86-64 • Windows 10 Creators Update Education x86-64 • Windows 10 Fall Creators Update Education x86-64 • Windows 10 April 2018 Update Education x86-64 • Windows 10 1809 Education x86-64 • Windows 10 1903 Education x86-64 • Windows 8.1 Enterprise x86-32 • Windows 10 Enterprise x86-32 • Windows 10 Anniversary Update Enterprise x86-32 • Windows 10 Creators Update Enterprise x86-32 • Windows 10 Fall Creators Update Enterprise x86-32 • Windows 10 April 2018 Update Enterprise x86-32 • Windows 10 1809 Enterprise x86-32 • Windows 10 1903 Enterprise x86-32 • Windows 8.1 Enterprise x86-64 • Windows 10 Enterprise x86-64 • Windows 10 Anniversary Update Enterprise x86-64 • Windows 10 Creators Update Enterprise x86-64 • Windows 10 Fall Creators Update Enterprise x86-64 • Windows 10 April 2018 Update Enterprise x86-64 • Windows 10 1809 Enterprise x86-64 • Windows 10 1903 Enterprise x86-64 • Windows 10 Pro x86-32 • Windows 10 Anniversary Update Pro x86-32 • Windows 10 Creators Update Pro x86-32 • Windows 10 Fall Creators Update Pro x86-32 • Windows 10 April 2018 Update Pro x86-32 • Windows 10 1809 Pro x86-32 • Windows 10 1903 Pro x86-32 • Windows 10 Pro x86-64 • Windows 10 Anniversary Update Pro x86-64 • Windows 10 Creators Update Pro x86-64 • Windows 10 Fall Creators Update Pro x86-64 • Windows 10 April 2018 Update Pro x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 1809 Pro x86-64 • Windows 10 1903 Pro x86-64 • Windows 8.1 Professional x86-32 • Windows 8.1 Professional x86-64 • Windows 8.1 Standard x86-32 • Windows 8.1 Standard x86-64 • Windows 10 IoT Enterprise x86-32 • Windows 10 IoT Enterprise x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Service Pack 1 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows 7 Service Pack 1 Home Premium x86-32 • Windows 7 Home Premium x86-64 • Windows 7 Service Pack 1 Home Premium x86-64 • Windows 7 Professional x86-32 • Windows 7 Service Pack 1 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-32 • Windows 8 Professional x86-64 • Windows 8 Standard x86-32 • Windows 8 Standard x86-64 • Windows Embedded POSReady 7 x86-32 • Windows Embedded Standard 2009 x86-32 • Windows Embedded 7 Enterprise x86-32 • Windows Embedded 7 Enterprise x86-64 • Windows Embedded 7 Standard x86-32 • Windows Embedded 7 Standard x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows Server 2019 x86-64 • Windows Server 2008 Datacenter Edition IA64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows Server 2008 SP2 Datacenter Edition IA64 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 SP2 Datacenter Edition x86-32 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 SP2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition IA64 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 SP2 Enterprise Edition x86-32 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 Standard Edition IA64 • Windows Server 2008 SP2 Standard Edition IA64 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 SP2 Standard Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Windows Server 2016 Essentials Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Vista Business x86-32• Windows Vista SP1 Business x86-32• Windows Vista SP2 Business x86-32• Windows Vista Business x86-64• Windows Vista SP1 Business x86-64• Windows Vista SP2 Business x86-64• Windows Vista Enterprise x86-32• Windows Vista SP1 Enterprise x86-32• Windows Vista SP2 Enterprise x86-32• Windows Vista Enterprise x86-64• Windows Vista SP1 Enterprise x86-64• Windows Vista SP2 Enterprise x86-64

Microsoft SQL Server 2012 and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix Console
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future

Deployment unit	Component	2012	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • Windows 10 Education x86-32 • Windows 10 Anniversary Update Education x86-32 • Windows 10 Creators Update Education x86-32 • Windows 10 Fall Creators Update Education x86-32 • Windows 10 April 2018 Update Education x86-32 • Windows 10 1809 Education x86-32 • Windows 10 1903 Education x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Windows 10 Education x86-64• Windows 10 Anniversary Update Education x86-64• Windows 10 Creators Update Education x86-64• Windows 10 Fall Creators Update Education x86-64• Windows 10 April 2018 Update Education x86-64• Windows 10 1809 Education x86-64• Windows 10 1903 Education x86-64• Windows 8.1 Enterprise x86-32• Windows 10 Enterprise x86-32• Windows 10 Anniversary Update Enterprise x86-32• Windows 10 Creators Update Enterprise x86-32• Windows 10 Fall Creators Update Enterprise x86-32• Windows 10 April 2018 Update Enterprise x86-32• Windows 10 1809 Enterprise x86-32• Windows 10 1903 Enterprise x86-32• Windows 8.1 Enterprise x86-64• Windows 10 Enterprise x86-64• Windows 10 Anniversary Update Enterprise x86-64• Windows 10 Creators Update Enterprise x86-64• Windows 10 Fall Creators Update Enterprise x86-64• Windows 10 April 2018 Update Enterprise x86-64• Windows 10 1809 Enterprise x86-64• Windows 10 1903 Enterprise x86-64• Windows 10 Pro x86-32• Windows 10 Anniversary Update Pro x86-32• Windows 10 Creators Update Pro x86-32• Windows 10 Fall Creators Update Pro x86-32• Windows 10 April 2018 Update Pro x86-32• Windows 10 1809 Pro x86-32• Windows 10 1903 Pro x86-32• Windows 10 Pro x86-64• Windows 10 Anniversary Update Pro x86-64• Windows 10 Creators Update Pro x86-64• Windows 10 Fall Creators Update Pro x86-64• Windows 10 April 2018 Update Pro x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 1809 Pro x86-64 • Windows 10 1903 Pro x86-64 • Windows 8.1 Professional x86-32 • Windows 8.1 Professional x86-64 • Windows 8.1 Standard x86-32 • Windows 8.1 Standard x86-64 • Windows 10 IoT Enterprise x86-32 • Windows 10 IoT Enterprise x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Service Pack 1 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows 7 Service Pack 1 Home Premium x86-32 • Windows 7 Home Premium x86-64 • Windows 7 Service Pack 1 Home Premium x86-64 • Windows 7 Professional x86-32 • Windows 7 Service Pack 1 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-32 • Windows 8 Professional x86-64 • Windows 8 Standard x86-32 • Windows 8 Standard x86-64 • Windows Embedded POSReady 7 x86-32 • Windows Embedded Standard 2009 x86-32 • Windows Embedded 7 Enterprise x86-32 • Windows Embedded 7 Enterprise x86-64 • Windows Embedded 7 Standard x86-32 • Windows Embedded 7 Standard x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows Server 2019 x86-64 • Windows Server 2008 Datacenter Edition IA64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows Server 2008 SP2 Datacenter Edition IA64 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 SP2 Datacenter Edition x86-32 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 SP2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition IA64 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 SP2 Enterprise Edition x86-32 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 Standard Edition IA64 • Windows Server 2008 SP2 Standard Edition IA64 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 SP2 Standard Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64




Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows Server 2016 Essentials Edition x86-64 • Windows Server 2016 Standard Edition x86-64 • Windows Vista Business x86-32 • Windows Vista SP1 Business x86-32 • Windows Vista SP2 Business x86-32 • Windows Vista Business x86-64 • Windows Vista SP1 Business x86-64 • Windows Vista SP2 Business x86-64 • Windows Vista Enterprise x86-32 • Windows Vista SP1 Enterprise x86-32 • Windows Vista SP2 Enterprise x86-32 • Windows Vista Enterprise x86-64 • Windows Vista SP1 Enterprise x86-64 • Windows Vista SP2 Enterprise x86-64

Microsoft SQL Server 2014 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future

Deployment unit	Component	2014	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • Windows 10 Education x86-32 • Windows 10 Anniversary Update Education x86-32 • Windows 10 Creators Update Education x86-32 • Windows 10 Fall Creators Update Education x86-32 • Windows 10 April 2018 Update Education x86-32 • Windows 10 1809 Education x86-32 • Windows 10 1903 Education x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 Education x86-64 • Windows 10 Anniversary Update Education x86-64 • Windows 10 Creators Update Education x86-64 • Windows 10 Fall Creators Update Education x86-64 • Windows 10 April 2018 Update Education x86-64 • Windows 10 1809 Education x86-64 • Windows 10 1903 Education x86-64 • Windows 8.1 Enterprise x86-32 • Windows 10 Enterprise x86-32 • Windows 10 Anniversary Update Enterprise x86-32 • Windows 10 Creators Update Enterprise x86-32 • Windows 10 Fall Creators Update Enterprise x86-32 • Windows 10 April 2018 Update Enterprise x86-32 • Windows 10 1809 Enterprise x86-32 • Windows 10 1903 Enterprise x86-32 • Windows 8.1 Enterprise x86-64 • Windows 10 Enterprise x86-64 • Windows 10 Anniversary Update Enterprise x86-64 • Windows 10 Creators Update Enterprise x86-64 • Windows 10 Fall Creators Update Enterprise x86-64 • Windows 10 April 2018 Update Enterprise x86-64 • Windows 10 1809 Enterprise x86-64 • Windows 10 1903 Enterprise x86-64 • Windows 10 Pro x86-32 • Windows 10 Anniversary Update Pro x86-32 • Windows 10 Creators Update Pro x86-32 • Windows 10 Fall Creators Update Pro x86-32 • Windows 10 April 2018 Update Pro x86-32 • Windows 10 1809 Pro x86-32 • Windows 10 1903 Pro x86-32 • Windows 10 Pro x86-64 • Windows 10 Anniversary Update Pro x86-64 • Windows 10 Creators Update Pro x86-64 • Windows 10 Fall Creators Update Pro x86-64 • Windows 10 April 2018 Update Pro x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 1809 Pro x86-64 • Windows 10 1903 Pro x86-64 • Windows 8.1 Professional x86-32 • Windows 8.1 Professional x86-64 • Windows 8.1 Standard x86-32 • Windows 8.1 Standard x86-64 • Windows 10 IoT Enterprise x86-32 • Windows 10 IoT Enterprise x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Service Pack 1 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows 7 Service Pack 1 Home Premium x86-32 • Windows 7 Home Premium x86-64 • Windows 7 Service Pack 1 Home Premium x86-64 • Windows 7 Professional x86-32 • Windows 7 Service Pack 1 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-32 • Windows 8 Professional x86-64 • Windows 8 Standard x86-32 • Windows 8 Standard x86-64 • Windows Embedded POSReady 7 x86-32 • Windows Embedded Standard 2009 x86-32 • Windows Embedded 7 Enterprise x86-32 • Windows Embedded 7 Enterprise x86-64 • Windows Embedded 7 Standard x86-32 • Windows Embedded 7 Standard x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows Server 2019 x86-64 • Windows Server 2008 Datacenter Edition IA64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows Server 2008 SP2 Datacenter Edition IA64 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 SP2 Datacenter Edition x86-32 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 SP2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition IA64 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 SP2 Enterprise Edition x86-32 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 Standard Edition IA64 • Windows Server 2008 SP2 Standard Edition IA64 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 SP2 Standard Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Windows Server 2016 Essentials Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Vista Business x86-32• Windows Vista SP1 Business x86-32• Windows Vista SP2 Business x86-32• Windows Vista Business x86-64• Windows Vista SP1 Business x86-64• Windows Vista SP2 Business x86-64• Windows Vista Enterprise x86-32• Windows Vista SP1 Enterprise x86-32• Windows Vista SP2 Enterprise x86-32• Windows Vista Enterprise x86-64• Windows Vista SP1 Enterprise x86-64• Windows Vista SP2 Enterprise x86-64

Microsoft SQL Server 2016 and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix Console
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future

Deployment unit	Component	2016	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Operating System Restrictions

Deployment Unit	Component	Only supported on
Server	<ul style="list-style-type: none"> • BigFix Server 	<ul style="list-style-type: none"> • Windows 10 Education x86-32 • Windows 10 Anniversary Update Education x86-32 • Windows 10 Creators Update Education x86-32 • Windows 10 Fall Creators Update Education x86-32 • Windows 10 April 2018 Update Education x86-32 • Windows 10 1809 Education x86-32 • Windows 10 1903 Education x86-32

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 Education x86-64 • Windows 10 Anniversary Update Education x86-64 • Windows 10 Creators Update Education x86-64 • Windows 10 Fall Creators Update Education x86-64 • Windows 10 April 2018 Update Education x86-64 • Windows 10 1809 Education x86-64 • Windows 10 1903 Education x86-64 • Windows 8.1 Enterprise x86-32 • Windows 10 Enterprise x86-32 • Windows 10 Anniversary Update Enterprise x86-32 • Windows 10 Creators Update Enterprise x86-32 • Windows 10 Fall Creators Update Enterprise x86-32 • Windows 10 April 2018 Update Enterprise x86-32 • Windows 10 1809 Enterprise x86-32 • Windows 10 1903 Enterprise x86-32 • Windows 8.1 Enterprise x86-64 • Windows 10 Enterprise x86-64 • Windows 10 Anniversary Update Enterprise x86-64 • Windows 10 Creators Update Enterprise x86-64 • Windows 10 Fall Creators Update Enterprise x86-64 • Windows 10 April 2018 Update Enterprise x86-64 • Windows 10 1809 Enterprise x86-64 • Windows 10 1903 Enterprise x86-64 • Windows 10 Pro x86-32 • Windows 10 Anniversary Update Pro x86-32 • Windows 10 Creators Update Pro x86-32 • Windows 10 Fall Creators Update Pro x86-32 • Windows 10 April 2018 Update Pro x86-32 • Windows 10 1809 Pro x86-32 • Windows 10 1903 Pro x86-32 • Windows 10 Pro x86-64 • Windows 10 Anniversary Update Pro x86-64 • Windows 10 Creators Update Pro x86-64 • Windows 10 Fall Creators Update Pro x86-64 • Windows 10 April 2018 Update Pro x86-64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows 10 1809 Pro x86-64 • Windows 10 1903 Pro x86-64 • Windows 8.1 Professional x86-32 • Windows 8.1 Professional x86-64 • Windows 8.1 Standard x86-32 • Windows 8.1 Standard x86-64 • Windows 10 IoT Enterprise x86-32 • Windows 10 IoT Enterprise x86-64 • Windows 7 Enterprise x86-32 • Windows 7 Service Pack 1 Enterprise x86-32 • Windows 7 Enterprise x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Home Premium x86-32 • Windows 7 Service Pack 1 Home Premium x86-32 • Windows 7 Home Premium x86-64 • Windows 7 Service Pack 1 Home Premium x86-64 • Windows 7 Professional x86-32 • Windows 7 Service Pack 1 Professional x86-32 • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-32 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-32 • Windows 8 Professional x86-64 • Windows 8 Standard x86-32 • Windows 8 Standard x86-64 • Windows Embedded POSReady 7 x86-32 • Windows Embedded Standard 2009 x86-32 • Windows Embedded 7 Enterprise x86-32 • Windows Embedded 7 Enterprise x86-64 • Windows Embedded 7 Standard x86-32 • Windows Embedded 7 Standard x86-64 • Windows Embedded POSReady 2009 x86-32 • Windows Server 2019 x86-64 • Windows Server 2008 Datacenter Edition IA64

Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none"> • Windows Server 2008 SP2 Datacenter Edition IA64 • Windows Server 2008 Datacenter Edition x86-32 • Windows Server 2008 SP2 Datacenter Edition x86-32 • Windows Server 2008 Datacenter Edition x86-64 • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Datacenter Edition x86-64 • Windows Server 2008 Enterprise Edition IA64 • Windows Server 2008 SP2 Enterprise Edition IA64 • Windows Server 2008 R2 Enterprise Edition IA64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition IA64 • Windows Server 2008 Enterprise Edition x86-32 • Windows Server 2008 SP2 Enterprise Edition x86-32 • Windows Server 2008 Enterprise Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 Standard Edition IA64 • Windows Server 2008 SP2 Standard Edition IA64 • Windows Server 2008 Standard Edition x86-32 • Windows Server 2008 SP2 Standard Edition x86-32 • Windows Server 2008 Standard Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64




Deployment Unit	Component	Only supported on
		<ul style="list-style-type: none">• Windows Server 2016 Essentials Edition x86-64• Windows Server 2016 Standard Edition x86-64• Windows Vista Business x86-32• Windows Vista SP1 Business x86-32• Windows Vista SP2 Business x86-32• Windows Vista Business x86-64• Windows Vista SP1 Business x86-64• Windows Vista SP2 Business x86-64• Windows Vista Enterprise x86-32• Windows Vista SP1 Enterprise x86-32• Windows Vista SP2 Enterprise x86-32• Windows Vista Enterprise x86-64• Windows Vista SP1 Enterprise x86-64• Windows Vista SP2 Enterprise x86-64

Microsoft SQL Server 2017 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Prerequisite Maintenance Levels, Current and Future

Deployment unit	Component	2017	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Databases Notes

1. Ships with MS-SQL Server 2016 SP1 Evaluation for trial purposes. For Windows environments, Customer will provide full version of MS-SQL Server 2008, 2012, 2014, 2016 or 2017. For Linux environments, DB2 Workgroup Server Edition 10.5 is provided. Note: Ensure that the SQL collation of the database is not case sensitive.
2. For BigFix server running on Linux, DB2 Standard Edition 11.5 is supported.
For details, see https://support.hcltechsw.com/csm?id=kb_article&sysparm_article=KB0076102

Supported software

The Supported software section specifies the additional software that BigFix Patch 9.5.14 supports.

Component Support

- Full
- Partial
- None

Capabilities

[Databases](#) [Identity Management](#) [LDAP Servers](#)
[Virtualization Management](#) [Web Browsers](#)

Databases

Summary




Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
DB2 Workgroup Server Edition	10.5	10.5.0.3	9.5.0	<input checked="" type="radio"/> <input type="radio"/>	No	No
DB2 Standard Edition	11.5	11.5.0.0	9.5.14	<input checked="" type="radio"/> <input type="radio"/>	Yes	No

DB2 Workgroup Server Edition 10.5



Legend:  Supported  Not supported

Components














Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future →→




Deployment unit	Component	10.5	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	10.5.0	...
Server	BigFix Server													

DB2 Standard Edition 11.5



Legend:  Supported  Not supported

Components

Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client


-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	11.5.0.0	→
Server	BigFix Server		

Identity Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
IBM Security Access Manager	9.0	9.0	9.5.0		No	(1)

IBM Security Access Manager 9.0

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future [→](#)

Deployment unit	Component	9.0	9.0.0.1	→
Server	BigFix Console	 (1)	 (1)	

Identity Management Notes

1. Implemented to provide Single Sign-On support for Console, WebReports, and WebUI.

LDAP Servers

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
All LDAP Servers that support the LDAP V3 Specification	All versions and future fix packs	All versions	9.5.0		No	No
Microsoft Active Directory	2008 and future fix packs	2008	9.5.0		No	(1)
	2008 R2 and future fix packs	2008 R2	9.5.0		No	(1)
	2012 and future fix packs	2012	9.5.0		No	(1)
	2012 R2 and future fix packs	2012 R2	9.5.0		No	(1)

All LDAP Servers that support the LDAP V3 Specification All versions and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix Console
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	All versions	Future Versions, Releases	Future Fix Packs
Server	BigFix Server			

Microsoft Active Directory 2008 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	2008	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Microsoft Active Directory 2008 R2 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	2008 R2	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Microsoft Active Directory 2012 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	2012	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Microsoft Active Directory 2012 R2 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future


Deployment unit	Component	2012 R2	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		



LDAP Servers Notes

1. Applies to domain functional level.

Virtualization Management

Summary

Supported software	Version	Supported software minimum	Product minimum	Components  	Operating system restrictions?	Notes?
IBM PowerVM Hypervisor (LPAR, DPAR, Micro-Partition)	any supported version and future fix packs	any supported version	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	(1)
VMware ESX	4.0 and future fix packs	4.0	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	No
	4.1 and future fix packs	4.1	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	No
VMware ESXi	4.0 and future fix packs	4.0	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	(1)
	4.1 and future fix packs	4.1	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	(1)
	5.0 and future fix packs	5.0	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	(1)
	5.1 and future fix packs	5.1	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	(1)
	5.5 and future fix packs	5.5	9.5.0	<input type="radio"/> <input checked="" type="radio"/>	No	(1)




Supported software	Version	Supported software minimum	Product minimum	Components 	Operating system restrictions?	Notes?
	6.0 and future fix packs	6.0	9.5.5		No	(1)

IBM PowerVM Hypervisor (LPAR, DPAR, Micro-Partition) any supported version and Future Fix Packs



Legend:  Supported  Not supported

Components

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future

Deployment unit	Component	any supported version	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

VMware ESX 4.0 and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future

Deployment unit	Component	4.0	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent			

VMware ESX 4.1 and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	4.1	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent			

VMware ESXi 4.0 and Future Fix Packs



Legend:  Supported  Not supported

Components

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	4.0	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

VMware ESXi 4.1 and Future Fix Packs



Legend:  Supported  Not supported

Components

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	4.1	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

VMware ESXi 5.0 and Future Fix Packs



Legend:  Supported  Not supported

Components


Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	5.0	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

VMware ESXi 5.1 and Future Fix Packs



Legend:  Supported  Not supported

Components

Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	5.1	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

VMware ESXi 5.5 and Future Fix Packs



Legend:  Supported  Not supported

Components


Server

-  BigFix Console
-  BigFix Server
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future

Deployment unit	Component	5.5	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

VMware ESXi 6.0 and Future Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future

Deployment unit	Component	6.0	Future Versions, Releases	Future Fix Packs
Agent or client	BigFix Agent	 (1)		

Virtualization Management Notes

1. Supported via Management Extender to provide audit only patch information.

Web Browsers

Summary

Supported software	Version	Supported software minimum	Product minimum	Components	Operating system restrictions?	Notes?
Adobe Flash Player	12.0 and future versions, releases and fix packs	12.0	9.5.0		No	(2)
Apple Safari on iOS	5.x and future fix packs	5.x	9.5.0		No	(1)
Google Chrome	29 and future versions, releases and fix packs	29	9.5.0		No	(1)
Microsoft Internet Explorer	10 and future fix packs	10	9.5.0		No	(1)
	11 and future fix packs	11	9.5.0		No	(1)
Mozilla Firefox ESR	24 and future versions, releases and fix packs	24	9.5.0		No	(1)
Opera	16 and future versions, releases	16	9.5.0		No	(1)

Supported software	Version	Supported software minimum	Product minimum	Components  	Operating system restrictions?	Notes?
	and fix packs					

Adobe Flash Player 12.0 and Future Versions, Releases and Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Console
- BigFix Server
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	12.0	Future Versions, Releases	Future Fix Packs
Server	BigFix Console	 (2)		

Apple Safari on iOS 5.x and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	5.x	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Google Chrome 29 and Future Versions, Releases and Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	29	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Microsoft Internet Explorer 10 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	10	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Microsoft Internet Explorer 11 and Future Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future

Deployment unit	Component	11	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Mozilla Firefox ESR 24 and Future Versions, Releases and Fix Packs

Legend: Supported Not supported

Components

Server

- BigFix Server
- BigFix Console
- BigFix WebUI Service

Agent or client

- BigFix Agent
- BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future




Deployment unit	Component	24	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Opera 16 and Future Versions, Releases and Fix Packs



Legend:  Supported  Not supported

Components




Server

-  BigFix Server
-  BigFix Console
-  BigFix WebUI Service

Agent or client

-  BigFix Agent
-  BigFix Relay

Product Support for the Supported Software Maintenance Levels, Current and Future

Deployment unit	Component	16	Future Versions, Releases	Future Fix Packs
Server	BigFix Server	 (1)		

Web Browsers Notes

1. Browser support applies to the WebReports capability of the product. Console and Client UI are not accessed via user browser.
2. Adobe Flash Player 12 or greater needs to be installed for Internet Explorer to use many dashboards and wizards in the BES Console. It is recommended that computers running the BES Console have the latest version of Adobe Flash Player installed for Internet Explorer. - For Windows Server 2012 or later, the "Desktop Experience" must be enabled. - For Windows 7 or Windows Server 2008, the Flash player must be updated using Flash Player fixlet in Updates for Windows Applications site, or directly using Adobe site. - For Windows 8 or later, or Windows Server 2012 or later, the Flash player is a part of Windows (as "Desktop Experience") and the Flash player must be updated using Flash player fixlet in Patches for Windows site, directly using Windows Update, or using update file from Microsoft download site.

Hardware

BigFix Patch 9.5.14 requires the following hardware organized by operating system family.

Operating System Families

[Linux](#) [Windows](#)

Linux

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Server <ul style="list-style-type: none"> BigFix Server 		<ul style="list-style-type: none"> Red Hat Enterprise Linux (RHEL) Server 6 6.10 x86-64 Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64 Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 7.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64
Memory	Server <ul style="list-style-type: none"> • BigFix Server 		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6 6.10 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 7.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64
Other Hardware	Server <ul style="list-style-type: none"> • BigFix Server 		<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6 6.10 x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Red Hat Enterprise Linux (RHEL) Server 6.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.5 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.6 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.8 x86-64 • Red Hat Enterprise Linux (RHEL) Server 6.9 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 7.7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.1 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.2 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.3 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.4 x86-64 • Red Hat Enterprise Linux (RHEL) Server 7.5 x86-64



Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none">• Red Hat Enterprise Linux (RHEL) Server 7.6 x86-64

Windows

Hardware	Components	Requirement	Applicable operating systems
Disk Space	Server <ul style="list-style-type: none"> • BigFix Console • BigFix Server 		<ul style="list-style-type: none"> • Windows 10 Anniversary Update Education x86-64 • Windows 10 Anniversary Update Enterprise x86-64 • Windows 10 Anniversary Update Pro x86-64 • Windows 10 Creators Update Education x86-64 • Windows 10 Creators Update Enterprise x86-64 • Windows 10 Creators Update Pro x86-64 • Windows 10 Education x86-64 • Windows 10 Enterprise x86-64 • Windows 10 Fall Creators Update Education x86-64 • Windows 10 Fall Creators Update Enterprise x86-64 • Windows 10 Fall Creators Update Pro x86-64 • Windows 10 Pro x86-64 • Windows 7 Enterprise x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-64 • Windows 8.1 Enterprise x86-64 • Windows 8.1 Professional x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64 • Windows Server 2016 Essentials Edition x86-64 • Windows Server 2016 Standard Edition x86-64 • Windows Server 2019 x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista SP1 Business x86-64 • Windows Vista SP1 Enterprise x86-64 • Windows Vista SP2 Business x86-64 • Windows Vista SP2 Enterprise x86-64
Memory	Server <ul style="list-style-type: none"> • BigFix Console • BigFix Server 		<ul style="list-style-type: none"> • Windows 10 Anniversary Update Education x86-64 • Windows 10 Anniversary Update Enterprise x86-64 • Windows 10 Anniversary Update Pro x86-64 • Windows 10 Creators Update Education x86-64 • Windows 10 Creators Update Enterprise x86-64 • Windows 10 Creators Update Pro x86-64 • Windows 10 Education x86-64 • Windows 10 Enterprise x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows 10 Fall Creators Update Education x86-64 • Windows 10 Fall Creators Update Enterprise x86-64 • Windows 10 Fall Creators Update Pro x86-64 • Windows 10 Pro x86-64 • Windows 7 Enterprise x86-64 • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-64 • Windows 8.1 Enterprise x86-64 • Windows 8.1 Professional x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> Pack 1 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64 • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows Server 2012 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64 • Windows Server 2016 Essentials Edition x86-64 • Windows Server 2016 Standard Edition x86-64 • Windows Server 2019 x86-64 • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista SP1 Business x86-64 • Windows Vista SP1 Enterprise x86-64 • Windows Vista SP2 Business x86-64 • Windows Vista SP2 Enterprise x86-64
Other Hardware	Server <ul style="list-style-type: none"> • BigFix Console • BigFix Server 		<ul style="list-style-type: none"> • Windows 10 Anniversary Update Education x86-64 • Windows 10 Anniversary Update Enterprise x86-64 • Windows 10 Anniversary Update Pro x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows 10 Creators Update Education x86-64 • Windows 10 Creators Update Enterprise x86-64 • Windows 10 Creators Update Pro x86-64 • Windows 10 Education x86-64 • Windows 10 Enterprise x86-64 • Windows 10 Fall Creators Update Education x86-64 • Windows 10 Fall Creators Update Enterprise x86-64 • Windows 10 Fall Creators Update Pro x86-64 • Windows 10 Pro x86-64 • Windows 7 Enterprise x86-64 • Windows 7 Professional x86-64 • Windows 7 Service Pack 1 Enterprise x86-64 • Windows 7 Service Pack 1 Professional x86-64 • Windows 8 Enterprise x86-64 • Windows 8 Professional x86-64 • Windows 8.1 Enterprise x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows 8.1 Professional x86-64 • Windows Server 2008 R2 Datacenter Edition x86-64 • Windows Server 2008 R2 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Datacenter Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Enterprise Edition x86-64 • Windows Server 2008 R2 Service Pack 1 Standard Edition x86-64 • Windows Server 2008 R2 Standard Edition x86-64 • Windows Server 2008 SP2 Datacenter Edition x86-64 • Windows Server 2008 SP2 Enterprise Edition x86-64 • Windows Server 2008 SP2 Standard Edition x86-64 • Windows Server 2012 Datacenter Edition x86-64 • Windows Server 2012 Essentials Edition x86-64

Hardware	Components	Requirement	Applicable operating systems
			<ul style="list-style-type: none"> • Windows Server 2012 R2 Datacenter Edition x86-64 • Windows Server 2012 R2 Essentials Edition x86-64 • Windows Server 2012 R2 Standard Edition x86-64 • Windows Server 2012 Standard Edition x86-64 • Windows Server 2016 Datacenter Edition x86-64 • Windows Server 2016 Essentials Edition x86-64 • Windows Server 2016 Standard Edition x86-64 • Windows Server 2019 x86-64 • Windows Vista Business x86-64 • Windows Vista Enterprise x86-64 • Windows Vista SP1 Business x86-64 • Windows Vista SP1 Enterprise x86-64 • Windows Vista SP2 Business x86-64 • Windows Vista SP2 Enterprise x86-64

Glossary

Bitness

Compatibility of the product with the bit version support that is provided by an operating system. Different parts of a product might run on the same operating system but support different application bitness. For example, one part of the product might run only in 32-bit mode, whereas another might support 64-bit tolerate mode.

31: The product or part of the product runs as a 31-bit application in a 31-bit operating environment.

32: The product or part of the product runs as a 32-bit application in a 32-bit operating environment.

64-tolerate: The product or part of the product runs as a 32-bit application in a 64-bit operating environment.

64-exploit: The product or part of the product runs natively as a 64-bit application in a 64-bit operating environment.

Co-packaged

Additional products that are included in the product package.

Co-installed

Additional products that are included in the product package and installed when the product is installed.

Deployment unit

Deployment Structure identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure.

- The top level of the deployment structure consists of one or more deployment units. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile.
- Deployment units may be further divided into deployable **components**

Desktop deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications.

Server deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications.

Agent or client deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent or client deployment

units include agents in management system that are installed in the same tier as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services.

Mobile deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application.

Hypervisor	A virtual machine in which a product can run on a guest operating system.
-------------------	---

Limited operating system support	By default, the supported guest operating systems for a product and a hypervisor are the operating systems that are supported by both the product and the hypervisor. If a product restricts support to a subset of these operating systems, this restriction will be indicated by specifying that there is Limited Operating System Support.
---	---

Operating system minimum	The minimum operating system maintenance level that is required to run on the product.
---------------------------------	--

Prerequisite minimum	The minimum maintenance level that is required for the prerequisite to work with the product.
-----------------------------	---

Product minimum	The minimum maintenance level that is required for the product to run on the operating system, on an hypervisor, or work with a prerequisite product or supported software.
------------------------	---

Supported software minimum	The minimum maintenance level that is required for the supported software to work with the product.
-----------------------------------	---

Long Term Support Release	A Long Term Support Release is a recommended product level for which support, including defect and security updates, will be provided over a specified period of time.
----------------------------------	--

Continuous Delivery Product	A Continuous Delivery Product delivers new function to clients more frequently.
------------------------------------	---

Continuous Delivery Product - Long Term Support Release	A Continuous Delivery Product delivers new function to clients more frequently. Since frequent releases may not be suitable for all client environments, Long Term Support Releases provide a package that will be supported for a longer period of time.
--	---

Disclaimers

This report is subject to the Terms of Use (<https://www.hcltech.com/terms-use>) and the following disclaimers: The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on HCL's current product plans and strategy, which are subject to change by HCL without notice. HCL shall not be responsible for any direct, indirect, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from HCL or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of HCL software. References in this report to HCL products, programs, or services do not imply that they will be available in all countries in which HCL operates. Product release dates and/or capabilities referenced in this presentation may change at any time at HCL's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other HCL documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report. Notwithstanding the Terms of Use (<https://www.hcltech.com/terms-use>), users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.
